Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	4144	315/291,307,185s,200a,312,316, 614,323,297.ccls.	USPAT	OR .	OFF	2005/05/18 12:16
Ľ6	3243	362/800,806,801.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/18 12:17
L7	7253	5 or 6	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/18 12:17
L8	2016	7 and (LED or (light emitting diode)) and (color\$3 or colour)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/18 12:17
L9	, ·272	8 and (feedback or (feed adj2 back) or feed-back)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/18 12:18
L10	79	9 and (white adj ((light emitting diode) or LED))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/18 12:34
L11	. 8	("3705316"   "5335239"   "5406172"   "5783909"   "6127783").PN. OR ("6441558").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/18 12:23
L12	10	9 and ((color or colour) adj2 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/18 12:46
L13	598390	(LED or (light emitting diode)) and (color\$3 or colour)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/18 12:46
L15	30843	L13 and (feedback or (feed adj2 back) or feed-back)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR T	OFF	2005/05/18 12:47
L16	602	L15 and ((color or colour) adj2 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/18 12:49
S1	4	(("6,507,159") or ("6,637,905") or ("6,682331") or (",076,056") or (", 230991")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/17 13:12
S2	3	("6305818").PN. OR ("6507159"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/11 14:25

<b>S3</b>	5	("5724062"   "6305818"   "6394626"   "6507159"   "6510995").PN. OR ("6630801").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/11 15:02
S5	75	muthu.in.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/11 16:22
S6	5	("20030076056"   "5924784"   "6095661"   "6439731"   "6510995").PN. OR ("6753661"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/11 18:17
S7	0	lim-kevin.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 09:16
S8	0	lim-kevin-l.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/11 18:18
S9	0	lee-joon-c.in.	US-PGPUB; USPAT; USOCR	OR	OFF .	2005/05/16 09:17
S10	0	ng-kee-y.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 09:17
S11	340	315/150.cds.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 15:06
S12	27	S11 and color	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/11 18:23
513	31	S11 and led\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 10:49
S14	4237	315/10,30,63,149,312,325,326.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 10:49
S15	340	315/150.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 10:49
S16	43	S15 and (led\$1 or diode\$s)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 10:53
S17	719	S14 and (led\$1 or diode\$s)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 10:56
S18	248	S17 and (LCD or display)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 16:52

S19	603	S17 and ((photo or wavelength or light) detect\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 10:49
S20	226	S19 and (LCD or display)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 16:53
S21	4237	315/10,30,63,149,312,325,326.cds.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 17:38
S22	388074	(leds or (light adj source))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/13 17:56
S23	38648	(leds or (light adj source)) and driver	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/13 10:53
S24	<b>1623</b>	S23 and (Feedback adj (controller or control))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/13 17:59
S25	13	S24 and (color adj (detector or sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/13 17:38
S26	531	S21 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/13 11:02
S27	99	S21 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/13 11:26
S28	6	S21 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/13 11:03

S29	104	("3746918"   "4298869"   "4329625"   "4367464"   "4388567"   "4420711"   "4625152"   "4727289"   "4845481"   "4887074"   "4992704"   "5003227"   "5008595"   "5126634"   "5134387"   "5164715"   "5184114"   "5226723"   "5254910"   "5256948"   "5382121"   "5294865"   "5350977"   "5357170"   "5374876"   "5388357"   "5404282"   "5406176"   "5410328"   "5420482"   "5545950"   "5561346"   "5575459"   "5561346"   "5575459"   "5592051"   "5751118"   "5821695").PN. OR ("6016038"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 13:05
S30	61	("3746918"   "4298869"   "4329625"   "4367464"   "4388567"   "4420711"   "4625152"   "4727289"   "4845481"   "4887074"   "5008595"   "5282121"   "5294865"   "5350977"   "5357170"   "5374876"   "5388357"   "5404282"   "5406176"   "5410328"   "5420482"   "5436535"   "5463280"   "5504395"   "5545950"   "5561346"   "5575459"   "5592051"   "5751118"   "5769527"   "5821695"   "5896212"   "5924784"   "6016038").PN. OR ("6211626"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 13:16
531	25	("3670260"   "4636923"   "4712167"   "4729070"   "4745526"   "4775967"   "4834492"   "4855884"   "4987523"   "5161046"   "5523591"   "5594254"   "5752766"   "6016038"   "6109766").PN. OR ("6357893").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 13:27
532	340	315/150.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 15:06
S33	65	S32 and (led\$1 or diode)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 15:06
S34	15	("3828220"   "3999193"   "4697122"   "5453866"   "5663613"   "5668446"   "5861717"   "5900701"   "5933089"   "5936361"   "5990628").PN. OR ("6265833"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 17:12
S35	1	("2003/0076056").URPN.	USPAT	OR	OFF	2005/05/13 17:27

		r — — — — — — — — — — — — — — — — — — —				
536	4604	315/10,30,63,149,312,325,326,324. cds.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 17:38
S37	74	S36 and ((color adj (detector or sensor)) or (photosensor or (photo adj sensor) or photo-sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO	ÖR	OFF	2005/05/13 17:48
S38	27	S37 and LEDs	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/13 17:41
S39	14	S36 and (color adj (detector or sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/13 17:48
S40	287	LEDs and (color adj sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/13 17:58
S41	13	S40 and (feedback adj (controller or control))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/13 17:59
S42	9	("4402611"   "5272518"   "5319437"   "5754448"   "5755742"   "5850472"   "6057925"   "6070100"   "6205244").PN. OR ("6576881"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 18:03
S43	0	lim-kevin.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/16 10:07
S44	11	lee-joon.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/16 09:18
S45	0	ng-kee.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/16 09:18
S46	4604	315/10,30,63,149,312,325,326,324. ccls.	US-PGPUB; USPAT; USOCR	OR .	OFF	2005/05/16 11:17
S47	11	S46 and (white adj2 LED)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 11:42

	<del></del>					
548°	250279	light adj (source or system)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 11:42
549	1117	S48 and ((RGB or color) adj LED)	US-PGPUB; USPAT; USOCR	OR _	OFF	2005/05/16 12:04
S50	211	S49 and (white adj2 LED)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 12:05
S51	9	S50 and (feeback or (feed adj2 back))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 12:03
S52	3465	S48 and (feeback or (feed adj2 back))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 12:03
S53	<sub>.</sub> 16	S52 and ((RGB or color) adj LED)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 12:04
S54	18	S52 and (white adj2 LED)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 12:05
S56	19	(("4271408") or ("4298869") or ("4321598") or ("4329625") or ("4367471") or ("4675575") or ("4855880") or ("4870547") or ("4939426") or ("4954822") or ("5155669") or ("5187377") or ("5404282") or ("5463280") or ("5495147") or ("5663719") or ("5808592") or ("5936599") or ("6344716")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/17 15:10
S57	98325	LED and (color\$3 or colour)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/17 15:13
S58	9962	S57 and (feedback or (feed adj2 back) or feed-back)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/18 12:17
S59	4097	S58 and white	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/17 15:14
S60	598390	(LED or (light emitting diode)) and (color\$3 or colour)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/18 12:17
S61	30843	S60 and (feedback or (feed adj2 back) or feed-back)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/17 15:14

S62	2102	S61 and (white adj ((light emitting diode) or LED))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/18 12:18
S63	460	S62 and LCD	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/05/17 15:18
S64	59	("2500929"   "3855499"   "3935499"   "3935500"   "4158210"   "4322656"   "4377769"   "4651049"   "4707638"   "4719388"   "4737683"   "4743798"   "4811017"   "4812716"   "4887000"   "4908539"   "4940916"   "4973888"   "5063327"   "5083058"   "5113274"   "5160871"   "5170100"   "5212426"   "Re31558").PN. OR ("5347201").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 15:22
S65	63	("3569614"   "3776615"   "4180813"   "4368963"   "4410887"   "4491863"   "4581608"   "4712878"   "4716403"   "4744640"   "4799050"   "4870484"   "4907862"   "4912064"   "4917465"   "4918497"   "4924215"   "4929061"   "4978952"   "4992704"   "5011549"   "5027168"   "5063421"   "5087576"   "5093652"   "5103328"   "5187547"   "5243204"   "5247533"   "5273933"   "5290393"   "5302839"   "5305464"   "5306662"   "5307359"   "5359345"   "5394167").PN. OR ("5724062").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 15:30
S66	7	("4959642"   "5724062"   "6007209"   "6115016"   "6243068").PN. OR ("6608614").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 15:42
S67	2	("2002/0070914").URPN.	USPAT	OR	OFF	2005/05/17 16:58
S68	0	("2002/0113192").URPN.	USPAT	OR	OFF	2005/05/18 12:15